

Anesthetic Mechanisms Papers

2022

[Propofol directly binds to and inhibits TLR7.](#)

Koutsogiannaki S, Bu W, Maisat W, Manzor M, Zhang Z, Ohto U, Eckenhoff RG, Yuki K.
FASEB J. 2022 Aug;36(8):e22481.

2021

[Binding Sites and the Mechanism of Action of Propofol and a Photoreactive Analogue in Prokaryotic Voltage-Gated Sodium Channels.](#)

Yang E, Bu W, Suma A, Carnevale V, Grasty KC, Loll PJ, Woll K, Bhanu N, Garcia BA, Eckenhoff RG, Covarrubias M.
ACS Chem Neurosci. 2021 Oct 20;12(20):3898-3914.

[Ketamine Metabolite \(2R,6R\)-Hydroxynorketamine Interacts with \$\mu\$ and \$\kappa\$ Opioid Receptors.](#)

Joseph TT, Bu W, Lin W, Zoubak L, Yeliseev A, Liu R, Eckenhoff RG, Brannigan G.
ACS Chem Neurosci. 2021 May 5;12(9):1487-1497.

[Synthesis and Characterization of a Diazirine-Based Photolabel of the Nonanesthetic Propofol.](#)

White ER, Leace DM, Bedell VM, Bhanu NV, Garcia BA, Dailey WP, Eckenhoff RG.
ACS Chem Neurosci. 2021 Jan 6;12(1):176-183.

2020

[Mechanistic insights into volatile anesthetic modulation of K2P channels.](#)

Wague A, Joseph TT, Woll KA, Bu W, Vaidya KA, Bhanu NV, Garcia BA, Nimigeon CM, Eckenhoff RG, Riegelhaupt PM.
Elife. 2020 Dec 21;9:e59839.

[A vertebrate model to reveal neural substrates underlying the transitions between conscious and unconscious states.](#)

Bedell VM, Meng QC, Pack MA, Eckenhoff RG.
Sci Rep. 2020 Sep 25;10(1):15789.

[The effect of anesthetics on toll like receptor 9.](#)

Koutsogiannaki S, Bu W, Hou L, Shibamura-Fujiogi M, Ishida H, Ohto U, Eckenhoff RG, Yuki K.
FASEB J. 2020 Nov;34(11):14645-14654.

[The role of propofol hydroxyl group in 5-lipoxygenase recognition.](#)

Yuki K, Bu W, Eckenhoff RG, Yokomizo T, Okuno T.
Biochem Biophys Res Commun. 2020 May 14;525(4):909-914.

[The future of research in anesthesiology.](#)

Lane-Fall MB, Bedell VM, Eckenhoff RG.
Int Anesthesiol Clin. 2020 Fall;58(4):41-45.

2019

[Volatile anesthetics isoflurane and sevoflurane directly target and attenuate Toll-like receptor 4 system.](#)

Okuno T, Koutsogiannaki S, Hou L, Bu W, Ohto U, Eckenhoff RG, Yokomizo T, Yuki K.
FASEB J. 2019 Dec;33(12):14528-14541.

[Azi-medetomidine: Synthesis and Characterization of a Novel \$\alpha\$ 2 Adrenergic Photoaffinity Ligand.](#)

McKinstry-Wu AR, Woll KA, Joseph TT, Bu W, White ER, Bhanu NV, Garcia BA, Brannigan G, Dailey WP, Eckenhoff RG.
ACS Chem Neurosci. 2019 Nov 20;10(11):4716-4728.

[Towards a Comprehensive Understanding of Anesthetic Mechanisms of Action: A Decade of Discovery.](#)

Hemmings HC Jr, Riegelhaupt PM, Kelz MB, Solt K, Eckenhoff RG, Orser BA, Goldstein PA.
Trends Pharmacol Sci. 2019 Jul;40(7):464-481.

[Volatile anesthetics affect macrophage phagocytosis.](#)

Zha H, Matsunami E, Blazon-Brown N, Koutsogiannaki S, Hou L, Bu W, Babazada H, Odegard KC, Liu R, Eckenhoff RG, Yuki K.
PLoS One. 2019 May 9;14(5):e0216163.

[Sex effects on behavioral markers of emergence from propofol and isoflurane anesthesia in rats.](#)

Mansouri MT, Fidler JA, Meng QC, Eckenhoff RG, García PS.
Behav Brain Res. 2019 Jul 23;367:59-67.

[Alkylphenol inverse agonists of HCN1 gating: H-bond propensity, ring saturation and adduct geometry differentially determine efficacy and potency.](#)

Joyce RL, Beyer NP, Vasilopoulos G, Woll KA, Hall AC, Eckenhoff RG, Barman DN, Warren JD, Tibbs GR, Goldstein PA.
Biochem Pharmacol. 2019 May;163:493-508.

2018

[Propofol inhibits the voltage-gated sodium channel NaChBac at multiple sites.](#)

Wang Y, Yang E, Wells MM, Bondarenko V, Woll K, Carnevale V, Granata D, Klein ML, Eckenhoff RG, Dailey WP, Covarrubias M, Tang P, Xu Y.
J Gen Physiol. 2018 Sep 3;150(9):1317-1331

[Propofol inhibits prokaryotic voltage-gated Na_v channels by promoting activation-coupled inactivation.](#)

Yang E, Granata D, Eckenhoff RG, Carnevale V, Covarrubias M.
J Gen Physiol. 2018 Sep 3;150(9):1299-1316

[Gone Fishing....](#)

Eckenhoff RG.
Anesthesiology. 2018 Sep;129(3):392-393.

[An allosteric propofol-binding site in kinesin disrupts kinesin-mediated processive movement on microtubules.](#)

Woll KA, Guzik-Lendrum S, Bensel BM, Bhanu NV, Dailey WP, Garcia BA, Gilbert SP, Eckenhoff RG. J Biol Chem. 2018 Jul 20;293(29):11283-11295

Preface.

Dmochowski IJ, Eckenhoff RG. Methods Enzymol. 2018;603:xv-xvi.

Preface.

Dmochowski IJ, Eckenhoff RG. Methods Enzymol. 2018;602:xv-xvi.

Identification of General Anesthetic Target Protein-Binding Sites by Photoaffinity Labeling and Mass Spectrometry.

Woll KA, Dailey WP, Eckenhoff RG. Methods Enzymol. 2018;602:231-246

High-Throughput Screening to Identify Anesthetic Ligands Using Xenopus laevis Tadpoles.

Woll KA, Eckenhoff RG. Methods Enzymol. 2018;602:177-187

Identification of binding sites contributing to volatile anesthetic effects on GABA type A receptors.

Woll KA, Zhou X, Bhanu NV, Garcia BA, Covarrubias M, Miller KW, Eckenhoff RG. FASEB J. 2018 Aug;32(8):4172-4189.

2017

Sites Contributing to TRPA1 Activation by the Anesthetic Propofol Identified by Photoaffinity Labeling.

Woll KA, Skinner KA, Gianti E, Bhanu NV, Garcia BA, Carnevale V, Eckenhoff RG, Gaudet R. Biophys J. 2017 Nov 21;113(10):2168-2172

Common general anesthetic propofol impairs kinesin processivity.

Bensel BM, Guzik-Lendrum S, Masucci EM, Woll KA, Eckenhoff RG, Gilbert SP. Proc Natl Acad Sci U S A. 2017 May 23;114(21):E4281-E4287

Photoaffinity Ligand for the Inhalational Anesthetic Sevoflurane Allows Mechanistic Insight into Potassium Channel Modulation.

Woll KA, Peng W, Liang Q, Zhi L, Jacobs JA, Maciunas L, Bhanu N, Garcia BA, Covarrubias M, Loll PJ, Dailey WP, Eckenhoff RG. ACS Chem Biol. 2017 May 19;12(5):1353-1362.

Sites and Functional Consequence of Alkylphenol Anesthetic Binding to Kv1.2 Channels.

Bu W, Liang Q, Zhi L, Maciunas L, Loll PJ, Eckenhoff RG, Covarrubias M. Mol Neurobiol. 2018 Feb;55(2):1692-1702

[Intravenous anesthetic propofol binds to 5-lipoxygenase and attenuates leukotriene B4 production.](#) Okuno T, Koutsogiannaki S, Ohba M, Chamberlain M, Bu W, Lin FY, Eckenhoff RG, Yokomizo T, Yuki K.
FASEB J. 2017 Jan 9 [Epub ahead of print]

2016

[Fluorine-19 NMR and computational quantification of isoflurane binding to the voltage-gated sodium channel NaChBac.](#) Kinde MN, Bondarenko V, Granata D, Bu W, Grasty KC, Loll PJ, Carnevale V, Klein ML, Eckenhoff RG, Tang P, Xu Y.
Proc Natl Acad Sci U S A. 2016; 113(48):13762-13767.

[Shedding Light on Anesthetic Mechanisms: Application of Photoaffinity Ligands.](#) Woll KA, Dailey WP, Brannigan G, Eckenhoff RG.
Anesth Analg. 2016; 123(5):1253-1262.

[A Novel Bifunctional Alkylphenol Anesthetic Allows Characterization of \$\gamma\$ -Aminobutyric Acid, Type A \(GABAA\), Receptor Subunit Binding Selectivity in Synaptosomes.](#) Woll KA, Murlidaran S, Pinch BJ, Hénin J, Wang X, Salari R, Covarrubias M, Dailey WP, Brannigan G, Garcia BA, Eckenhoff RG.
J Biol Chem. 2016 ;291(39):20473-86.

[Molecular mechanism of anesthetic-induced depression of myocardial contraction.](#) Meng T, Bu W, Ren X, Chen X, Yu J, Eckenhoff RG, Gao WD.
FASEB J. 2016; 30(8):2915-25.

[Common Anesthetic-binding Site for Inhibition of Pentameric Ligand-gated Ion Channels.](#) Kinde MN, Bu W, Chen Q, Xu Y, Eckenhoff RG, Tang P.
Anesthesiology. 2016 ;124(3):664-73.

2015

[Mechanistic Insights into the Modulation of Voltage-Gated Ion Channels by Inhalational Anesthetics.](#) Covarrubias M, Barber AF, Carnevale V, Treptow W, Eckenhoff RG.
Biophys J. 2015 ;109(10):2003-11.

[Macroscopic and macromolecular specificity of alkylphenol anesthetics for neuronal substrates.](#) Weiser BP, Hall MA, Weinbren NL, Woll KA, Dailey WP, Eckenhoff MF, Eckenhoff RG.
Sci Rep. 2015; 5:9695.

[Molecular recognition of ketamine by a subset of olfactory G protein-coupled receptors.](#) Ho J, Perez-Aguilar JM, Gao L, Saven JG, Matsunami H, Eckenhoff RG.
Sci Signal. 2015; 8(370):ra33.

[Role for the propofol hydroxyl in anesthetic protein target molecular recognition.](#) Woll KA, Weiser BP, Liang Q, Meng T, McKinstry-Wu A, Pinch B, Dailey WP, Gao WD, Covarrubias M, Eckenhoff RG.
ACS Chem Neurosci. 2015; 6(6):927-35.

[Propofol inhibits SIRT2 deacetylase through a conformation-specific, allosteric site.](#) Weiser BP, Eckenhoff RG. J Biol Chem. 2015; 290(13):8559-68.

[Discovery of a novel general anesthetic chemotype using high-throughput screening.](#) McKinstry-Wu AR, Bu W, Rai G, Lea WA, Weiser BP, Liang DF, Simeonov A, Jadhav A, Maloney DJ, Eckenhoff RG. *Anesthesiology*. 2015; 122(2):325-33.

[Forward to the past.](#) Eckenhoff RG, Morgan PG. *Anesth Analg*. 2015; 120(2):259-60.

2014

[Sites and functional consequence of VDAC-alkylphenol anesthetic interactions.](#) Weiser BP, Bu W, Wong D, Eckenhoff RG. *FEBS Lett*. 2014; 588(23):4398-403.

[Multiple propofol-binding sites in a \$\gamma\$ -aminobutyric acid type A receptor \(GABAAR\) identified using a photoreactive propofol analog.](#) Jayakar SS, Zhou X, Chiara DC, Dostalova Z, Savechenkov PY, Bruzik KS, Dailey WP, Miller KW, Eckenhoff RG, Cohen JB. *J Biol Chem*. 2014; 289(40):27456-68.

[Computational investigation of cholesterol binding sites on mitochondrial VDAC.](#) Weiser BP, Salari R, Eckenhoff RG, Brannigan G. *J Phys Chem B*. 2014; 118(33):9852-60.

[Stereoselectivity of isoflurane in adhesion molecule leukocyte function-associated antigen-1.](#) Bu W, Pereira LM, Eckenhoff RG, Yuki K. *PLoS One*. 2014; 9(5):e96649.

[Modulation of a voltage-gated Na⁺ channel by sevoflurane involves multiple sites and distinct mechanisms.](#) Barber AF, Carnevale V, Klein ML, Eckenhoff RG, Covarrubias M. *Proc Natl Acad Sci U S A*. 2014; 111(18):6726-31.

[Mechanisms revealed through general anesthetic photolabeling.](#) Weiser BP, Woll KA, Dailey WP, Eckenhoff RG. *Curr Anesthesiol Rep*. 2014 Mar 1;4(1):57-66.

[Photoaffinity labeling the propofol binding site in GLIC.](#) Chiara DC, Gill JF, Chen Q, Tillman T, Dailey WP, Eckenhoff RG, Xu Y, Tang P, Cohen JB. *Biochemistry*. 2014 Jan 14;53(1):135-42.

2013

[Anesthetic drug development: Novel drugs and new approaches.](#) Chitilian HV, Eckenhoff RG, Raines DE. *Surg Neurol Int*. 2013; 4(Suppl 1):S2-S10.

[Direct modulation of microtubule stability contributes to anthracene general anesthesia.](#) Emerson DJ, Weiser BP, Psonis J, Liao Z, Taratula O, Fiamengo A, Wang X, Sugasawa K, Smith AB 3rd, Eckenhoff RG, Dmochowski IJ. *J Am Chem Soc*. 2013; 135(14):5389-98.

[Identification of propofol binding sites in a nicotinic acetylcholine receptor with a photoreactive propofol analog.](#) Jayakar SS, Dailey WP, Eckenhoff RG, Cohen JB. J Biol Chem. 2013; 288(9):6178-89.

[In vivo activation of azipropofol prolongs anesthesia and reveals synaptic targets.](#) Weiser BP, Kelz MB, Eckenhoff RG. J Biol Chem. 2013; 288(2):1279-85.

2012

[Isoflurane binds and stabilizes a closed conformation of the leukocyte function-associated antigen-1.](#) Yuki K, Bu W, Xi J, Sen M, Shimaoka M, Eckenhoff RG. FASEB J. 2012; 26(11):4408-17.

[General anesthetics predicted to block the GLIC pore with micromolar affinity.](#) LeBard DN, Hénin J, Eckenhoff RG, Klein ML, Brannigan G. PLoS Comput Biol. 2012; 8(5):e1002532.

[Is hydrogen sulfide-induced suspended animation general anesthesia?](#) Li RQ, McKinstry AR, Moore JT, Caltagaron BM, Eckenhoff MF, Eckenhoff RG, Kelz MB. J Pharmacol Exp Ther. 2012; 341(3):735-42.

[A novel fluorescent general anesthetic enables imaging of sites of action in vivo.](#) Emerson DJ, Liao Z, Eckenhoff RG, Dmochowski IJ. Anesthesiology. 2012; 116(6):1363.

[Ferritin couples iron and fatty acid metabolism.](#) Bu W, Liu R, Cheung-Lau JC, Dmochowski IJ, Loll PJ, Eckenhoff RG. FASEB J. 2012; 26(6):2394-400.

[Recognition of anesthetic barbiturates by a protein binding site: a high resolution structural analysis.](#) Oakley S, Vedula LS, Bu W, Meng QC, Xi J, Liu R, Eckenhoff RG, Loll PJ. PLoS One. 2012; 7(2):e32070.

[NMR structure and dynamics of a designed water-soluble transmembrane domain of nicotinic acetylcholine receptor.](#) Cui T, Mowrey D, Bondarenko V, Tillman T, Ma D, Landrum E, Perez-Aguilar JM, He J, Wang W, Saven JG, Eckenhoff RG, Tang P, Xu Y. Biochim Biophys Acta. 2012; 1818(3):617-26.

2011

[Anesthetic mechanisms: worms light the way.](#) Eckenhoff RG. Curr Biol. 2011; 21(24):R985-6.

2010

[A conserved behavioral state barrier impedes transitions between anesthetic-induced unconsciousness and wakefulness: evidence for neural inertia.](#) Friedman EB, Sun Y, Moore JT, Hung HT, Meng QC, Perera P, Joiner WJ, Thomas SA, Eckenhoff RG, Sehgal A, Kelz MB. PLoS One. 2010; 5(7):e11903.

[Multiple binding sites for the general anesthetic isoflurane identified in the nicotinic acetylcholine receptor transmembrane domain.](#) Brannigan G, LeBard DN, Hénin J, Eckenhoff RG, Klein ML.

Proc Natl Acad Sci U S A. 2010; 107(32):14122-7.

[m-Azipropofol \(AziPm\) a photoactive analogue of the intravenous general anesthetic propofol.](#) Hall MA, Xi J, Lor C, Dai S, Pearce R, Dailey WP, Eckenhoff RG. J Med Chem. 2010; 53(15):5667-75.

[Inhalational anesthetic photolabeling.](#) Eckenhoff RG, Xi J, Dailey WP. Methods Mol Biol. 2010; 617:437-43.

[Azi-isoflurane, a Photolabel Analog of the Commonly Used Inhaled General Anesthetic Isoflurane.](#) Eckenhoff RG, Xi J, Shimaoka M, Bhattacharji A, Covarrubias M, Dailey WP. ACS Chem Neurosci. 2010; 1(2):139-145.

2009

[A high-throughput approach for identification of novel general anesthetics.](#) Lea WA, Xi J, Jadhav A, Lu L, Austin CP, Simeonov A, Eckenhoff RG. PLoS One. 2009; 4(9):e7150.

[A unitary anesthetic binding site at high resolution.](#) Vedula LS, Brannigan G, Economou NJ, Xi J, Hall MA, Liu R, Rossi MJ, Dailey WP, Grasty KC, Klein ML, Eckenhoff RG, Loll PJ. J Biol Chem. 2009; 284(36):24176-84.

[Structure-based shape pharmacophore modeling for the discovery of novel anesthetic compounds.](#)

Ebalunode JO, Dong X, Ouyang Z, Liang J, Eckenhoff RG, Zheng W. Bioorg Med Chem. 2009; 17(14):5133-8.

[Identification of a fluorescent general anesthetic, 1-aminoanthracene.](#) Butts CA, Xi J, Brannigan G, Saad AA, Venkatachalan SP, Pearce RA, Klein ML, Eckenhoff RG, Dmochowski IJ. Proc Natl Acad Sci U S A. 2009; 106(16):6501-6.

2008

[Why can all of biology be anesthetized?](#) Eckenhoff RG. Anesth Analg. 2008; 107(3):859-61.

[Inhaled anesthetics elicit region-specific changes in protein expression in mammalian brain.](#) Pan JZ, Xi J, Eckenhoff MF, Eckenhoff RG. Proteomics. 2008; 8(14):2983-92.

[Does it add up?](#) Kelz MB, Eckenhoff RG. Anesth Analg. 2008 Aug;107(2):365-6.

[From anesthetic mechanisms research to drug discovery.](#) Eckenhoff R, Zheng W, Kelz M. Clin Pharmacol Ther. 2008; 84(1):144-8.

2007

[Thermodynamics of xenon binding to cryptophane in water and human plasma.](#) Hill PA, Wei Q, Eckenhoff RG, Dmochowski IJ. *J Am Chem Soc.* 2007; 129(30):9262-3.

[Limitations of microarray studies.](#) Pan JZ, Eckenhoff RG, Eckenhoff MF. *Anesth Analg.* 2007; 104(5):1300-1; author reply 1301-2.

[Halothane binding proteome in human brain cortex.](#) Pan JZ, Xi J, Tobias JW, Eckenhoff MF, Eckenhoff RG. *J Proteome Res.* 2007; 6(2):582-92.

2006

[Photoactive analogues of the haloether anesthetics provide high-resolution features from low-affinity interactions.](#) Xi J, Liu R, Rossi MJ, Yang J, Loll PJ, Dailey WP, Eckenhoff RG. *ACS Chem Biol.* 2006; 1(6):377-84.

[High throughput modular chambers for rapid evaluation of anesthetic sensitivity.](#) Sun Y, Chen J, Pruckmayr G, Baumgardner JE, Eckmann DM, Eckenhoff RG, Kelz MB. *BMC Anesthesiol.* 2006; 6:13.

[A guest molecule-host cavity fitting algorithm to mine PDB for small molecule targets.](#) Byrem WC, Armstead SC, Kobayashi S, Eckenhoff RG, Eckmann DM. *Biochim Biophys Acta.* 2006; 1764(8):1320-4.

[Partitioning of anesthetics into a lipid bilayer and their interaction with membrane-bound peptide bundles.](#) Vemparala S, Saiz L, Eckenhoff RG, Klein ML. *Biophys J.* 2006; 91(8):2815-25.

[Rat brain DNA transcript profile of halothane and isoflurane exposure.](#) Pan JZ, Wei H, Hecker JG, Tobias JW, Eckenhoff RG, Eckenhoff MF. *Pharmacogenet Genomics.* 2006; 16(3):171-82.

2005

[Measurement of resiniferatoxin in serum samples by high-performance liquid chromatography.](#) Mannes AJ, Brown DC, Keller J, Cordes L, Eckenhoff RG, Caudle RM, Iadarola MJ, Meng QC. *J Chromatogr B Analyt Technol Biomed Life Sci.* 2005; 823(2):184-8.

[Anesthetic potency of two novel synthetic polyhydric alkanols longer than the n-alkanol cutoff: evidence for a bilayer-mediated mechanism of anesthesia?](#) Mohr JT, Gribble GW, Lin SS, Eckenhoff RG, Cantor RS.

J Med Chem. 2005; 48(12):4172-6.

[Weak polar interactions confer albumin binding site selectivity for haloether anesthetics.](#) Liu R, Eckenhoff RG. *Anesthesiology*. 2005; 102(4):799-805.

[Structural basis for high-affinity volatile anesthetic binding in a natural 4-helix bundle protein.](#) Liu R, Loll PJ, Eckenhoff RG. *FASEB J*. 2005; 19(6):567-76.

[Binding of the volatile general anesthetics halothane and isoflurane to a mammalian beta-barrel protein.](#) Johansson JS, Manderson GA, Ramoni R, Grolli S, Eckenhoff RG. *FEBS J*. 2005; 272(2):573-81.

[Truncated human serum albumin retains general anaesthetic binding activity.](#) Liu R, Yang J, Ha CE, Bhagavan NV, Eckenhoff RG. *Biochem J*. 2005; 388(Pt 1):39-45.

2004

[Volatile anesthetic modulation of oligomerization equilibria in a hexameric model peptide.](#) Ghirlanda G, Hilcove SA, Pidikiti R, Johansson JS, Lear JD, Degrado WF, Eckenhoff RG. *FEBS Lett*. 2004; 578(1-2):140-4.

[Promiscuous ligands and attractive cavities: how do the inhaled anesthetics work?](#) Eckenhoff RG. *Mol Interv*. 2001; 1(5):258-68.

[Inhalational anesthetic-binding proteins in rat neuronal membranes.](#) Xi J, Liu R, Asbury GR, Eckenhoff MF, Eckenhoff RG. *J Biol Chem*. 2004; 279(19):19628-33.

[Comparative binding character of two general anaesthetics for sites on human serum albumin.](#) Liu R, Meng Q, Xi J, Yang J, Ha CE, Bhagavan NV, Eckenhoff RG. *Biochem J*. 2004; 380(Pt 1):147-52.

2003

[Identification of nicotinic acetylcholine receptor amino acids photolabeled by the volatile anesthetic halothane.](#) Chiara DC, Dangott LJ, Eckenhoff RG, Cohen JB. *Biochemistry*. 2003; 42(46):13457-67.

2002

[Chromatographic approach for determining the relative membrane permeability of drugs.](#) Meng QC, Johansson JS, Eckenhoff RG. *J Chromatogr B Analyt Technol Biomed Life Sci*. 2002; 774(1):89-95.

[The role of electrostatic interactions in human serum albumin binding and stabilization by halothane.](#) Liu R, Pidikiti R, Ha CE, Petersen CE, Bhagavan NV, Eckenhoff RG. *J Biol Chem*. 2002; 277(39):36373-9.

[G protein-coupled receptors as direct targets of inhaled anesthetics.](#) Ishizawa Y, Pidikiti R, Liebman PA, Eckenhoff RG. *Mol Pharmacol*. 2002; 61(5):945-52.

[Halogenated diazirines as photolabel mimics of the inhaled haloalkane anesthetics.](#) Eckenhoff RG, Knoll FJ, Greenblatt EP, Dailey WP. J Med Chem. 2002; 45(9):1879-86.

[Low-affinity analytical chromatography for measuring inhaled anesthetic binding to isolated proteins.](#) Chan K, Meng QC, Johansson JS, Eckenhoff RG. Anal Biochem. 2002; 301(2):308-13.

2001

[What are "relevant" concentrations?](#) Eckenhoff RG, Johansson JS. Anesthesiology. 2001; 95(6):1537-9.

[Multiple specific binding targets for inhaled anesthetics in the mammalian brain.](#) Eckenhoff MF, Chan K, Eckenhoff RG. J Pharmacol Exp Ther. 2002; 300(1):172-9.

[Anesthetic stabilization of protein intermediates: myoglobin and halothane.](#) Eckenhoff RG, Pidikiti R, Reddy KS. Biochemistry. 2001; 40(36):10819-24.

[Determination of the hydrophobicity of local anesthetic agents.](#) Meng QC, Zou H, Johansson JS, Eckenhoff RG. Anal Biochem. 2001; 292(1):102-6.

[Predictability of weak binding from X-ray crystallography: inhaled anesthetics and myoglobin.](#) Tanner JW, Johansson JS, Liebman PA, Eckenhoff RG. Biochemistry. 2001; 40(16):5075-80.

[Cooperative binding of inhaled anesthetics and ATP to firefly luciferase.](#) Eckenhoff RG, Tanner JW, Liebman PA. Proteins. 2001; 42(4):436-41.

2000

[Halothane binding to a G protein coupled receptor in retinal membranes by photoaffinity labeling.](#) Ishizawa Y, Sharp R, Liebman PA, Eckenhoff RG. Biochemistry. 2000; 39(29):8497-502.

[Inhaled anesthetic binding sites in human serum albumin.](#) Eckenhoff RG, Petersen CE, Ha CE, Bhagavan NV. J Biol Chem. 2000; 275(39):30439-44.

[Gamma-aminobutyric acid enhancement of halothane binding in rat cerebellum.](#) Eckenhoff MF, Eckenhoff RG. Neurosci Lett. 2000; 286(2):111-4.

[General anesthetic binding to gramicidin A: the structural requirements.](#) Tang P, Eckenhoff RG, Xu Y. Biophys J. 2000; 78(4):1804-9.

[A designed four-alpha-helix bundle that binds the volatile general anesthetic halothane with high affinity.](#) Johansson JS, Scharf D, Davies LA, Reddy KS, Eckenhoff RG. Biophys J. 2000; 78(2):982-93.

1990-1999

[On the relevance of "clinically relevant concentrations" of inhaled anesthetics in in vitro experiments.](#) Eckenhoff RG, Johansson JS. *Anesthesiology*. 1999; 91(3):856-60.

[Steric hindrance is not required for n-alkanol cutoff in soluble proteins.](#) Eckenhoff RG, Tanner JW, Johansson JS. *Mol Pharmacol*. 1999; 56(2):414-8.

[Halothane, an inhalational anesthetic agent, increases folding stability of serum albumin.](#) Tanner JW, Eckenhoff RG, Liebman PA. *Biochim Biophys Acta*. 1999; 1430(1):46-56.

[Volatile anesthetics alter protein stability.](#) Tanner JW, Liebman PA, Eckenhoff RG. *Toxicol Lett*. 1998; 100-101:387-91.

[Do specific or nonspecific interactions with proteins underlie inhalational anesthetic action?](#) Eckenhoff RG. *Mol Pharmacol*. 1998; 54(4):610-5.

[A noble approach to mechanisms.](#) Eckenhoff RG. *Anesth Analg*. 1998; 87(2):239-41. No abstract available.

[Differential halothane binding and effects on serum albumin and myoglobin.](#) Eckenhoff RG, Tanner JW. *Biophys J*. 1998 Jul;75(1):477-83.

[Quantitative autoradiography of halothane binding in rat brain.](#) Eckenhoff MF, Eckenhoff RG.

J Pharmacol Exp Ther. 1998 Apr;285(1):371-6.

[Molecular interactions between inhaled anesthetics and proteins.](#) Eckenhoff RG, Johansson JS.

Pharmacol Rev. 1997 Dec;49(4):343-67.

[Heterogeneous halothane binding in the SR Ca²⁺-ATPase.](#) Kosk-Kosicka D, Fomitcheva I, Lopez MM, Eckenhoff RG. *FEBS Lett*. 1997 Feb 3;402(2-3):189-92.

[Amino acid resolution of halothane binding sites in serum albumin.](#) Eckenhoff RG.

J Biol Chem. 1996 Jun 28;271(26):15521-6.

[Minimum structural requirement for an inhalational anesthetic binding site on a protein target.](#) Johansson JS, Eckenhoff RG. *Biochim Biophys Acta*. 1996 May 21;1290(1):63-8.

[An inhalational anesthetic binding domain in the nicotinic acetylcholine receptor.](#) Eckenhoff RG. *Proc Natl Acad Sci U S A*. 1996 Apr 2;93(7):2807-10.

[Binding of halothane to serum albumin demonstrated using tryptophan fluorescence.](#) Johansson JS, Eckenhoff RG, Dutton PL. *Anesthesiology*. 1995 Aug;83(2):316-24.

[Tests of anesthesia relevance.](#) Eckenhoff RG. Anesth Analg. 1995 Aug;81(2):431-2.

[Inhalation anaesthetic competition at high-affinity cocaine binding sites in rat brain synaptosomes.](#) Eckenhoff RG, Fagan D. Br J Anaesth. 1994 Dec;73(6):820-5.

[Halothane binding to soluble proteins determined by photoaffinity labeling.](#) Eckenhoff RG, Shuman H. Anesthesiology. 1993 Jul;79(1):96-106.

[Inhibition of dopamine transport in rat brain synaptosomes by volatile anesthetics.](#) el-Maghrabi EA, Eckenhoff RG. Anesthesiology. 1993 Apr;78(4):750-6.

[Saturable binding of halothane to rat brain synaptosomes.](#) el-Maghrabi EA, Eckenhoff RG, Shuman H. Proc Natl Acad Sci U S A. 1992 May 15;89(10):4329-32.

[Localization of volatile anesthetic molecules at the subcellular and molecular level.](#) Eckenhoff RG, Shuman H. Ann N Y Acad Sci. 1991;625:755-6.

[Subcellular distribution of an inhalational anesthetic in situ.](#) Eckenhoff RG, Shuman H. Proc Natl Acad Sci U S A. 1990 Jan;87(1):454-7.