Your ID_

Today's Date __/__/__

Participant Pre-Test

Circle the letter of the best answer.

Example:

Which of these is NOT a season:

- a. Winter
- b. Autumn
- Summer
- d.) Easter
- e. Spring
- 1. The team approach to reducing Adverse Drug Events (ADEs) includes:
 - a. Certified Nursing Assistants
 - b. Licensed Nurses
 - c. Pharmacists
 - d. Dietitians
 - e. All of the above
 - f. None of the above
- 2. Older adults are likely to have ADEs because:
 - a. They are not used to taking medications.
 - b. They take their medications with lots of water.
 - c. They take many medications.
 - d. They use generic medications.



Circle T if the statement is True, F if the statement is false

Example: This is a test.	F	
3. The most common sign of an ADE in older people is a change in mental status.	T	F
4. Nurses can help prevent ADEs by questioning the need for each prescribed medication.	T	F
5. About one-half of adverse drug events that occur in a long term care facility are preventable.	T	F
6. An average long term care facility has about 10 ADEs per month.	T	F
7. Medications on the Beers list should never be used for older	T	F

Thank you. Please return to instructor.



adults.

Your ID	Today's Date//

Participant Pre-Test: Instructor's KEY

Correct answers are in Circled bold italic

Circle the letter of the best answer.

Example:

Which of these is NOT a season:

- a. Winter
- b. Autumn
- c. Summer
- d.) Easter
- e. Spring
- 1. The team approach to reducing Adverse Drug Events (ADEs) includes:
 - a. Certified Nursing Assistants
 - b. Licensed Nurses
 - c. Pharmacists
 - d. Dietitians
 - (e.) **All of the above**
 - f. None of the above
- 2. Older adults are likely to have ADEs because:
 - a. They are not used to taking medications.
 - b. They take their medications with lots of water.
 - (c.) They take many medications.
 - d. They use generic medications.



Circle T if the statement is True, F if the statement is false

Example:

This is a test.

T

F

- 3. The most common sign of an ADE in older people is a change in mental status.
- T

F

- 4. Nurses can help prevent ADEs by questioning the need for each prescribed medication.
- Γ F
- 5. About one-half of adverse drug events that occur in a long term care facility are preventable.
- $\widehat{\mathbf{T}}$ \mathbf{F}
- 6. An average long term care facility has about 10 ADEs per month.
- T F
- 7. Medications on the Beers list should never be used for older adults.

T

(F)

 $Thank\ you.\ Please\ return\ to\ instructor.$