Isolation Guidelines for

ALL STAFF (other than ED, Respiratory, & Phlebotomy)

Social areas	Isolation Rooms: Non-Suspected COVID-19 and non-COVID Infection (MRSA, flu, Cdiff, etc.)	Suspected COVID-19 & COVID Infection (when WITH NO aerosol generating procedures*)	in room Suspected COVID-19 & COVID Infection (when in room WITH aerosol generating procedures*)
PPE required: • Social mask	 PPE required: Wear whatever the regular Isolation Precautions are for that patient (i.e. Contact for Cdiff) You must also change out your social mask 	Droplet + Contact + Eye protection PPE required: • Surgical mask • Reusable goggles • Gloves • Isolation gown	Airborne + Contact + Eye Protection PPE required: N95 or PAPR Reusable goggles Gloves Isolation gown
 Mask management: Date & initial your social mask Do not dispose of mask unless soiled or damaged At the end of your shift, store your social mask in paper bag for re-use Social mask may be either a hospital-issued surgical/procedural mask, or a manufactured mask from home (Masks from home may NOT be worn in patient care areas) Only staff that work in a facility without patients may wear a cloth/homemade mask (i.e. Burle) 	 Mask management: Surgical masks for an isolation room should be labeled (staff name & room number) and placed in paper bag and re-used for that patient for that shift Throw away after your shift or when wet or soiled into regular trash 	 Mask management: Surgical masks should be used for your shift: Mask to be placed in labeled (staff name & roo number) paper bag by patient room Throw away after your shift or when wet or soi regular trash Goggles to be low-level disinfected with alcohol wiphydrogen peroxide wipes after leaving any isolation re-used If there is a Special Respiratory Precautions sign in pmust check in with primary RN first to determine whot an aerosol-generating procedure* is occurring a time 	 throw away in regular trash If N95 not soiled Place in paper bag & label with name, if you will be in the patient room frequently, every time the N95 is used a fit check must be completed, if seal is not snug a new mask will be needed Bag to be placed outside patient room & then thrown away at end of shift in regular trash Iace, staff nether or that the be used again Goggles to be low-level disinfected with alcohol wipes or
Definitions: *Aerosol generating procedumebulizer treatments,	for COVID units, you have the optures: Intubation, extubation, med	hydrogen peroxide wipes after leaving any isolation room and re-used If there is a Special Respiratory Precautions sign in place, staff must check in with primary RN first to determine whether or not an aerosol-generating procedure* is occurring at that time	

Coughing, sneezing, talking or yelling are not aerosol generating procedures

4/6/20

Isolation Guidelines for **ALL STAFF** in the **Emergency Department**

Social Areas	Isolation Rooms: Non-Suspected COVID-19 and non-COVID Infection (MRSA, flu, Cdiff, etc.)	Suspected COVID-19 & COVID Infection (when in room WITH NC aerosol generating procedures*)	Suspected COVID-19 & COVID Infection (when in room WITH aerosol generating procedures*)
 PPE required: Social mask Reusable goggles Social isolation gown 	 PPE required: Wear whatever the regular Isolation Precautions are for that patient (i.e. Contact for Cdiff) You must also change out your social mask 	Droplet + Contact + Eye protection PPE required: Surgical or procedural mask Reusable goggles Gloves Isolation gown	Airborne + Contact + Eye Protection PPE required: N95 mask (if fit-tested) or PAPR Reusable goggles Gloves Isolation gown
Mask management: -Social masks may be used as long as they are not wet, soiled, or damaged -Do not wear your social mask into any type of isolation room -No homemade/cloth masks -Goggles to be low-level disinfected with alcohol wipes or hydrogen peroxide wipes after leaving any isolation room and re-used	 Surgical masks for an isolation room should be labeled (staff name & room number) and placed in paper bag and re-used for that patient for that shift Throw away after your shift or when wet or soiled into regular trash 	Mask management: -If mask visible soiled: • throw away in regular trash -If mask not soiled: • place in paper bag & label with name, if you will be in the patient room frequently -Goggles to be low-level disinfected with alcohol wipes or hydrogen peroxide wipes after leaving any isolation room and reused	in the patient room frequently, every time the N95 is used a fit check must be completed, if seal is not snug a new mask will be needed Bag to be placed outside patient room & then thrown away at end of shift in regular trash -PAPR to be low level disinfected with alcohol wipes or hydrogen peroxide wipes, including hood and PAPR machine to be used
Scrubs are not required, but for C Definitions: *Aerosol generating procedures: nebulizer treatments, Bronch, BiPAP, CPAP & HiFlo (Du	Intubation, extubation, mechai	nical ventilation, suctioning,	again -Goggles to be low-level disinfected with alcohol wipes or hydrogen peroxide wipes after leaving any isolation room and re-used
Coughing, sneezing, talking or ye	and the control of th		4/6/20

Respiratory Therapy & Phlebotomy Exceptions

 Respiratory Therapy: RT will put on social N95 and re-usable eye protection at all times Goggles to be low-level disinfected with alcohol wipes or hydrogen peroxide wipes after leaving any isolation room and re-used 	 Respiratory Therapy: In addition to social N95 & eye protection, RT will put on gown & gloves for duration of ALL AGPs* regardless of infection status Extended use: If administering treatments to consecutive COVID+ patients, RT may re-use same N95 & gown Non-PUI/non-COVID+ Airborne Patients (i.e. TB, measles): Change into new N95 prior to entering room
 Inpatient/Outpatient Phlebotomy (non-ED): Will wear social masks at all times Put on re-usable eye protection during patient care regardless of infection status -No homemade/cloth masks 	
-Goggles to be low-level disinfected with alcohol wipes or hydrogen peroxide wipes after leaving any isolation room and re-used	
Definitions:	

*Aerosol generating procedures: Intubation, extubation, mechanical ventilation, suctioning, nebulizer treatments, Bronch, BiPAP, CPAP & HiFlo (Duration of these procedures/treatments only) Coughing, sneezing, talking or yelling are not aerosol generating procedures

Proper Steps for Donning (putting on) and Doffing (taking off) Personal Protective Equipment (PPE)

Donning (putting on) PPE

Step 1: Perform hand hygiene

Step 2: Put on mask

Step 3: Put on eye protection

Step 4: Put on isolation gown

Step 5: Put on gloves

Doffing (taking off) PPE

Step 1: Remove gloves

Step 2: Remove gown

Step 3: Hand Hygiene

Step 4: Remove goggles or face shield

Step 5: Remove mask

Step 6: Hand Hygiene