PENN MEDICINE COVID-19

Infection Control and Patient Management Guidance

STATUS	LOCATION	PROCESS	ISOLATION PRECAUTIONS	PERSONAL PROTECTIVE EQUIPMENT (PPE)	ROOM PLACEMENT
Screening Determining if patient has potential for COVID-19 infection	ED/ Ambulatory	At registration, ask BPA screening questions re: travel, exposure & symptoms If BPA does not alert, routine care and monitoring If BPA fires consider this "patient under investigation"	If BPA fires: DROPLET + CONTACT If BPA does not fire: STANDARD PRECAUTIONS	Provide patient a surgical mask	Private room
Under Investigation Evaluating if patient requires COVID-19 testing and test type based on clinical presentation	Ambulatory	 Provide patient surgical mask Provider: evaluate patient o Stable refer to outpatient test site as appropriate o Assessed to be unstable consult with Infection Control to triage for further evaluation 	DROPLET + CONTACT	HCW: Surgical masks, eye protection, gloves, reusable gowns	Exam room
	ED or Inpatient	Provide patient a surgical mask Provider: evaluate patient o Stable further evaluation; consider COVID-19 test send out Assessed to be unstable consult designated ID approver for in-house COVID-19 test approval	DROPLET + CONTACT	HCW: Surgical mask, eye protection, gloves, reusable gowns	Private room
Decision to Test R/O COVID 19	Ambulatory	Enter "COVID-19 Rule Out" Flag in Penn Chart Ensure droplet + contact signs on door	DROPLET + CONTACT	HCW: Surgical mask, eye protection, gloves, reusable gowns	Exam room
	ED or Inpatient ICU / Floor (Routine care)	 Enter "COVID-19 Rule Out" flag in Penn Chart Ensure droplet + contact signs on door Alert Clinical Director of test sent (inpatient only) 	DROPLET + CONTACT	HCW: Surgical mask, eye protection, gloves, reusable gowns	Private room

Testing patient to rule out COVID-19	ED or Inpatient ICU/ Floor (Performing aerosolized procedures)	•	Place "Special Respiratory Precautions" sign Enter "COVID-19 Rule Out" flag in Penn Chart Alert Materials Management N95 & face shields needed for R/O COVID-19 with aerosolized procedures (inpatient only) Alert Clinical Director of test sent (inpatient only)	CONTACT + AIRBORNE	HCW: N95 respirator, eye protection + gloves, reusable or disposable gowns	Private room (Consider Airborne Infection/Negative Pressure Room, if available)
COVID-19 Positive Test results positive	Inpatient ICU / Floor		Enter "COVID-19 Confirmed" flag in Penn Chart Alert EVS of COVID-19 room Obtain biohazard trash cans Alert Materials Management PAPR, N95 & face shields needed (if patient in contact + airborne isolation) Alert Clinical Director that test is positive	Default: DROPLET + CONTACT Upgrade: CONTACT + AIRBORNE Based on anticipated need for aerosolized procedures following consultation with primary team, nursing, infection control	HCW: For routine care Surgical mask, eye protection, gloves, reusable or disposable gowns HCW: For care with risk of aerosolization PAPR or N95, eye protection + gloves, reusable or disposable gowns	Private room (Airborne Infection/Negative Pressure Room, if available)

FOLLOW YOUR ENTITY-SPECIFIC GUIDANCE FOR THE APPROPRIATE PPE SUPPLIES, PPE DONNING AND DOFFING SEQUENCE, AND ISOLATION SIGNA	GE