


# Asymptomatic OUTPATIENT with Positive SARS CoV-2 (COVID-19) Molecular Result




## Asymptomatic OUTPATIENT Who Has Two Procedures/Diagnostic Tests Scheduled within 1 Week



- The patient should undergo a test for SARS CoV-2 within 2-3 days of first procedure
- Consider repeat SARS CoV-2 testing again within 3 days of the second procedure


## Outpatient Pre-Procedure Covid Testing for a Patient who has Recovered from Confirmed Covid-19 Infection

*(The following applies to non-immunocompromised patients. For immunocompromised please consult your location Infectious Diseases team for case by case assessment and guidance.)*



*\*If surgeon determines that a delay will negatively impact patient's health, proceed with surgery/procedure as scheduled and test on day of admission.*

**Asymptomatic INPATIENT Who Will Require Multiple Procedures/Diagnostic Tests During Admission**



Inpatient who has recovered from COVID-19 illness and has been cleared from Isolation Precautions using test-based or time-based strategy, and who now requires a procedure or diagnostic test for which pre-procedural testing is usually performed



**DO NOT repeat testing for SARSCoV-2**  
Having recovered from COVID-19 illness this patient is outside the window when viral transmission may occur

BUT



If this patient is tested for SARS CoV-2, and the result is Positive



**DO NOT place patient in Special Isolation Precautions**  
The patient is NOT infectious

- Proceed with procedure or diagnostic test using Standard Precautions and PPE  
Procedure may occur in standard (positive pressure) OR room

COVID-19 Inpatient requires diagnostic test or procedure for which pre-procedural testing is typically performed

DO NOT repeat testing for SARS CoV-2

- Proceed with procedures or diagnostics using all appropriate Isolation precautions and PPE
- Perform aerosol-generating procedures in negative pressure rooms